

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Canceled)
2. (Previously Presented) The method of claim 21 wherein the A/V file is broadcast to the recipient after the recipient authorizes the broadcast.
3. (Previously Presented) The method of claim 2 wherein the recipient authorizes the broadcast by remaining on the voice connection for a designated period of time.
4. (Previously Presented) The method of claim 2 wherein the recipient authorizes the broadcast by transmitting a signal across the voice communication network after the voice connection has been established.
5. (Previously Presented) The method of claim 2 wherein the recipient authorizes the broadcast by transmitting a signal across the data network after the voice connection has been established.
6. (Previously Presented) The method of claim 21 further comprising the steps of:
 - receiving input from the recipient or sender; and
 - changing the information transmitted to the recipient data network address based on the input from the recipient or sender.
7. (Original) The method of claim 6 wherein the input is a signal transmitted across the voice communication network.

8. (Original) The method of claim 6 wherein the input is a signal transmitted across the data network.

9. (Original) The method of claim 7 wherein the signal is a DTMF signal.

10. (Original) The method of claim 7 wherein the signal is a voice command.

11. (Previously Presented) The method of claim 21 wherein the sender is an automated interactive response system.

12. (Canceled).

13. (Currently Amended) An apparatus for transmitting an audio / visual (A/V) file between a sender and a recipient using a voice communication network and a data network, said the voice communication network independent of said the data network, the recipient being identified by a voice communication network address and a data network address, the apparatus comprising:

means for establishing a voice connection on said the voice communication network between said the sender and said the recipient, said the recipient having a voice communication network address;

means for determining a recipient data communication network address based on an association between said the recipient data communication network address and said the recipient's voice communication network address;

means for downloading said the A/V file and storage restriction control information related to the A/V file from said the sender to a server associated with said the recipient data communication network address via said the data network during said the voice connection; and

means for receiving a dual-tone multi-frequency (DTMF) signal encoding navigation instructions to navigate through said the A/V file from said the recipient via said the voice connection; and

means for synchronized switching between the A/V file associated with the sender and an additional A/V file associated with an additional sender in response to switching between the voice connection associated with the sender and an additional voice connection associated with the additional sender.

14. (Previously Presented) The apparatus of claim 13 further comprising means for initiating the connection on the voice communication network.

15. (Currently Amended) The apparatus of claim 13 wherein the means for downloading is initiated by means for sending a signal to said the server, said the server attached to the data network and capable of transmitting the file to the recipient data network address.

16-18. (Canceled).

19. (Previously Presented) The method of claim 21 wherein the voice communication network address is a telephone number.

20. (Previously Presented) The apparatus of claim 13 wherein the A/V file is adapted for rendering on a television screen.

21. (Currently Amended) A method of transmitting an audio / visual (A/V) file from a sender to a recipient using a voice communication network and a data network, said the voice communication network independent of said the data network, the method comprising the steps of:

establishing a voice connection on said the voice communication network between said the sender and said the recipient, said the recipient having a voice communication network address;

determining a recipient data network address based on an association between said the recipient data network address and said the recipient's voice communication network address;

downloading said the A/V file and storage restriction control information related to the A/V file from said the sender to a server associated with the recipient data network address via said the data network during said the voice connection; and

receiving a dual-tone multi-frequency (DTMF) signal encoding navigation instructions at a senders computer to navigate through said the A/V file from said the recipient via said the voice connection; and

synchronously switching between the A/V file associated with the sender and an additional A/V file associated with an additional sender in response to switching between the voice connection associated with the sender and an additional voice connection associated with the additional sender.